

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. Bex 440 Alexandra, Vugunia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/040,627	01/09/2002	Sigenobu Nakamura	P64591US2	3842
136	7590 08/15/2003			
JACOBSON HOLMAN PLLC 400 SEVENTH STREET N.W. SUITE 600			EXAMINER	
			TAMAI, KARL I	
WASHINGTON, DC 20004			ART UNIT	PAPER NUMBER
			2834	

DATE MAILED: 08/15/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

Office Action Summary		Application No.	Applicant(s)				
		10/040,627	NAKAMURA ET AL.				
		Examiner	Art Unit				
		Tamai IE Karl	2834				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1)	Responsive to communication(s) filed on	_·					
2a) <u></u> ☐	This action is FINAL . 2b)⊠ Thi	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
	Claim(s) <u>1-4,6 and 27-37</u> is/are pending in the						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-4,6 and 27-37</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement. Application Papers							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12)⊠ The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15)☑ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
2) Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal P	(PTO-413) Paper No(s) Patent Application (PTO-152)				
S. Patent and Tra	ademark Office						

Reissue Applications

TELEPHONE INTERVIEW

The examiner notes that the first office action is being remailed because the action mailed on 7/8/2003 cited the reference Yamada et al. that should have been Yajima et al.

Oath/Declaration

1. The reissue oath/declaration filed with this application is defective because none

of the errors which are relied upon to support the reissue application are errors upon

which a reissue can be based. See 37 CFR 1.175(a)(1) and MPEP § 1414. The errors

set forth in the Oath include: claiming less than the patentee had the right to claim by

virtue of not having included claims to:

(1) a process: for producing a fixed ring of an antifriction bearing, (2) an antifriction

bearing, and (3) an antifriction bearing device including an antifriction bearing, are not

correctable by reissue. These are not errors correctable by reissue because the

applicant abandoned these inventions with the parent application 07/203,972. A new

reissue oath citing a valid error is required.

2. The examiner notes the original patent was surrendered in the parent application

08/869,844 on 12/19/01.

Application/Control Number: 10/040,627 Page 3

Art Unit: 2834

Claim Rejections - 35 USC § 251

3. Claims 1-4, 6, and 27-37 are rejected as being based upon a defective reissue Oath under 35 U.S.C. 251 as set forth above. See 37 CFR 1.175.

The nature of the defects in the Oath is set forth in the discussion above in this Office action.

Claim Objections

4. Claim 32 is objected to because of the following informalities: it depends from a non-existing claim. For the purposes of advancing prosecution on the merits the examiner will assume the claims depend from claim 31. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-4, 6, 27, 31-33, 36 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ogawa (US 4,517,466) and Steyr-Kaimler-Puch (Steyr)(Austrian Patent 362,807) and Okamoto. Ogawa teaches an alternator operating at 12000 rpm with a pair of bearings 3, 19, with a shaft a having a pulley 20. Ogawa does not teach the bearing having steel with 10% residual austenite at a depth of 0.1 mm. Steyr teaches steel ball bearing rings with 6% residual austenite at the surface portion (from the surface to 3 mm, which includes .1mm), where the ring is treated with liquid nitrogen

Application/Control Number: 10/040,627

Art Unit: 2834

(inherently subzero treatment). Steyr teaches the residual austenite being 8-10%, but does not teach the heat tempering between 150-400 degrees. Okamoto teaches the range of residual austenite being from 3.4-26%, which includes 6, 8, and 10% residual austenite, and tempering between 150-400 degrees. It would have been obvious to a person of ordinary skill in the art at the time of the invention to construct the alternator of Ogawa with the bearings of Steyr to reduce brittleness, and with the residual austenite extending up to 8 or 10% and tempering because Okamoto teaches the higher percentage enhance fatigue life of the bearing.

- 7. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ogawa (US 4,517,466) and Steyr-Kaimler-Puch (Steyr)(Austrian Patent 362,807) and Okamoto, in further view of Yajima et al. (Yajima). Ogawa, Steyr, and Okamoto teach every aspect of the invention, except the steel has been tempered after subzero treatment. Okamoto teaches the bearing steel is tempered at 150-400 degrees after quenching. Yamada teaches that the steel in bearings is tempered after quenching or subzero treatment. It would have been obvious to a person skilled in the art at the time of the invention to construct the bearing of Ogawa, Steyr, and Okamoto with the steel being tempered at 170-230 because Yamada teaches it is common practice in the bearing art when forming residual austenite to act as a cushion in the bearing.
- 8. Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ogawa (US 4,517,466) and Steyr-Kaimler-Puch (Steyr)(Austrian Patent 362,807) and Okamoto,

Page 4

Application/Control Number: 10/040,627 Page 5

Art Unit: 2834

in further view of Stickels et al. (Stickels)(US 4,191,599). Ogawa, Steyr, and Okamoto teach every aspect of the invention, except the steel has been subjected to carburization hardening. Stickels teaches steel used in bearing which is carburized and tempered between 100-300 degrees. It would have been obvious to a person skilled in the art at the time of the invention to construct the bearing of Ogawa, Steyr, and Okamoto with the steel having carburization hardening because Stickels suggest the use of the carburized steel in bearings to reduce residual compressive stresses in the steel.

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Application/Control Number: 10/040,627 Page 6

Art Unit: 2834

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

10. Claims 28-30 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 7 or 8 of U.S. Patent No. RE37,967 E in view of Yajima et al. (Yajima). RE 37,967 E claim 8 includes every limitation of pending claim 28, but the residual austenite being up to 3% at a depth of .1mm and without carburization or tempering. Yajima teaches that measuring at 0.1 mm below the surface provides a transition area of low and high hardness to allow good plastic deformity. It would have been obvious to a person skilled in the art at the time of the invention to construct the bearing of Claim 7 and 8 with the residual austenite limited to 3% at .1mm to allow good plastic deformity as taught by Yamada and without the carburization and tempering of claim 7 and 8 to reduce manufacturing cost.

Response to Arguments

11. Applicant's arguments with respect to the pending claims have been considered but are most in view of the new grounds of rejection.

Allowable Subject Matter

12. Claims 28-30 would be allowable provided a terminal disclaimer is provided.

Application/Control Number: 10/040,627

Art Unit: 2834

13. The following is an examiner's statement of reasons for allowance: the prior art

does not teach an alternator for vehicles having a rotary shaft with a rotor and pulley

supported by a pair of ball bearings with fix and revolving races/rings. The drive pulley

is mounted on one end of the shaft projecting outward from the frame. The alternator

bearing adjacent the pulley having a fixed ring with bearing steel containing up to about

3% of residual austenite at a radial depth of 0.1 mm from the raceway of the ring,

whereby the rolling fatigue life is improved by preventing occurrence of partial structural

changes or minute cracks immediately under the raceway of the fixed ring caused by

vibration or impact.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

14. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Karl I.E. Tamai at (703) 305-7066. If attempts to reach

the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Nestor

Ramirez, can be reached at (703) 308-1371. The facsimile number for the Group is

(703) 305-3432. Any inquiry of a general nature or relating to the status of this

application should be directed to the Group receptionist at (703) 308-0956.

Karl I Tamai

PRIMARY PATENT EXAMINER

August 13, 2003.

KARL TAMAI PRIMARY EXAMINER

P. 198897 1 1 (St. October 18 Leave 19

Page 7